

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1.-20. (Canceled)

21. (Previously Presented) A process for the control of fungi which are phytopathogenic towards crops, said process comprising applying to crops a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B being applied to said crops at a dose rate of between 150 and 1500 g/ha.

22. (Previously Presented) A process for the control of fungi which are phytopathogenic towards crops, said process comprising applying to crops a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic

fungicidally effective non-phytotoxic amount of A and B being applied to said crops at a dose rate of between 400 and 1000 g/ha.

23.-24. (Canceled)

25. (Previously Presented) A process for the control of fungi which are phytopathogenic towards lawns, said process comprising applying to lawns a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B being applied to said lawns at a dose rate of between 1100 and 7000 g/ha.

26. (Previously Presented) A process for the control of fungi which are phytopathogenic towards lawns, said process comprising applying to lawns a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B being applied to said lawns at a dose rate of between 2250 and 5000 g/ha.

27. (Previously Presented) A process according to Claim 21, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

28. (Previously Presented) A process according to Claim 21, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

29. (Previously Presented) A process according to Claim 21, wherein the A/B ratio by weight is between 0.0625 and 1.33.

30. (Previously Presented) A process according to Claim 21, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the crops.

31. (Previously Presented) A process according to Claim 21, wherein the A/B ratio by weight is between 0.05 and 5.

32. (Previously Presented) A process according to Claim 21, wherein the A/B ratio by weight is between 0.17 and 1.33.

33. (Previously Presented) A process according to Claim 22, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

34. (Previously Presented) A process according to Claim 22, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide.

35. (Previously Presented) A process according to Claim 22, wherein the A/B ratio by weight is between 0.0625 and 1.33.

36. (Previously Presented) A process according to Claim 22, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the crops.

37. (Previously Presented) A process according to Claim 22, wherein the A/B ratio by weight is between 0.05 and 5.

38. (Previously Presented) A process according to Claim 22, wherein the A/B ratio by weight is between 0.17 and 1.33.

39. (Previously Presented) A process according to Claim 25, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

40. (Previously Presented) A process according to Claim 25, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide.

41. (Previously Presented) A process according to Claim 25, wherein the A/B ratio by weight is between 0.0625 and 1.33.

42. (Previously Presented) A process according to Claim 25, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the lawns.

43. (Previously Presented) A process according to Claim 25, wherein the A/B ratio by weight is between 0.02 and 2.

44. (Previously Presented) A process according to Claim 25, wherein the A/B ratio by weight is between 0.0625 and 0.25.

45. (Previously Presented) A process according to Claim 26, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

46. (Previously Presented) A process according to Claim 26, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

47. (Previously Presented) A process according to Claim 26, wherein the A/B ratio by weight is between 0.0625 and 1.33.

48. (Previously Presented) A process according to Claim 26, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the lawns.

49. (Previously Presented) A process according to Claim 26, wherein the A/B ratio by weight is between 0.02 and 2.

50. (Previously Presented) A process according to Claim 26, wherein the A/B ratio by weight is between 0.0625 and 0.25.